

Setting up plugin tables

[Start](#) ► Setting up plugin tables

No warnings - [Scroll to the continue button](#)

auth/joomla plugin needs upgrading

```
(mysql): CREATE TABLE mdl_joomla_dummytable ( id BIGINT(10) unsigned NOT NULL auto_increment, CONSTRAINT PRIMARY KEY (id) )
```

Success

```
(mysql): ALTER TABLE mdl_joomla_dummytable COMMENT='It appears it is mandatory to have a dummy table.'
```

Success

```
(mysql): INSERT INTO mdl_mnet_host2service(hostid, serviceid, publish) VALUES ('0', '4', '1')
```

Success

```
(mysql): INSERT INTO mdl_config_plugins(plugin, name, value) VALUES ('auth/joomla', 'field_lock_firstname', 'locked')
```

Success

```
(mysql): INSERT INTO mdl_config_plugins(plugin, name, value) VALUES ('auth/joomla', 'field_lock_lastname', 'unlockedifempty')
```

Success

```
(mysql): INSERT INTO mdl_config_plugins(plugin, name, value) VALUES ('auth/joomla', 'field_lock_email', 'locked')
```

Success

```
(mysql): INSERT INTO mdl_config_plugins(plugin, name, value) VALUES ('auth/joomla', 'field_lock_city', 'unlockedifempty')
```

Success

```
(mysql): INSERT INTO mdl_config_plugins(plugin, name, value) VALUES ('auth/joomla', 'field_lock_country', 'unlockedifempty')
```

Success

```
(mysql): INSERT INTO mdl_config_plugins(plugin, name, value) VALUES ('auth/joomla', 'field_lock_lang', 'unlockedifempty')
```

Success

```
(mysql): INSERT INTO mdl_config_plugins(plugin, name, value) VALUES ('auth/joomla', 'field_lock_description', 'unlockedifempty')
```

Success

```
(mysql): INSERT INTO mdl_config_plugins(plugin, name, value) VALUES ('auth/joomla', 'field_lock_url', 'unlockedifempty')
```

Success

```
(mysql): INSERT INTO mdl_config_plugins(plugin, name, value) VALUES ('auth/joomla', 'field_lock_institution', 'unlockedifempty')
```

Success

```
(mysql): INSERT INTO mdl_config_plugins(plugin, name, value) VALUES ('auth/joomla', 'field_lock_phone1', 'unlockedifempty')
```

Success

```
(mysql): INSERT INTO mdl_config_plugins(plugin, name, value) VALUES ('auth/joomla', 'field_lock_phone2', 'unlockedifempty')
```

Success

```
(mysql): INSERT INTO mdl_config_plugins(plugin, name, value) VALUES ('auth/joomla', 'field_lock_address', 'unlockedifempty')
```

Success

```
(mysql): INSERT INTO mdl_config_plugins(plugin, name, value) VALUES ('auth/joomla',
```

'field_lock_icq', 'unlockedifempty')

Success

(mysql): INSERT INTO mdl_config_plugins(plugin, name, value) VALUES ('auth/joomla', 'field_lock_skype', 'unlockedifempty')

Success

(mysql): INSERT INTO mdl_config_plugins(plugin, name, value) VALUES ('auth/joomla', 'field_lock_aim', 'unlockedifempty')

Success

(mysql): INSERT INTO mdl_config_plugins(plugin, name, value) VALUES ('auth/joomla', 'field_lock_yahoo', 'unlockedifempty')

Success

(mysql): INSERT INTO mdl_config_plugins(plugin, name, value) VALUES ('auth/joomla', 'field_lock_msn', 'unlockedifempty')

Success

(mysql): INSERT INTO mdl_config_plugins(plugin, name, value) VALUES ('auth/joomla', 'field_lock_idnumber', 'unlockedifempty')

Success

(mysql): INSERT INTO mdl_config_plugins(plugin, name, value) VALUES ('auth/joomla', 'field_lock_department', 'unlockedifempty')

Success

joomla tables have been set up correctly

Continue

 [Moodle Docs for this page](#)

Extension Manager

Help

[Install](#) | [Components](#) | [Modules](#) | [Plugins](#) | [Languages](#) | [Templates](#)

Install Component Success

Component for Joomla - Moodle integration

Joomla Installation

Extension	Status
Joomla Component	Installed
Module	
mod_joomla_courses	Installed
mod_joomla_my_courses	Installed
mod_joomla_calendar	Installed
mod_joomla_my_grades	Installed
mod_joomla_mentees	Installed
Plugin	
Joomla	Installed
Joomlahooks	Installed
Joomlaession	Installed
Joomlaletienda	Installed
Courses	Installed
Coursecategories	Installed
Coursetopics	Installed

Upload Package File

Package File: no file selected

Install from Directory

Install Directory:

Install from URL

Install URL:

Joomla! is Free Software released under the GNU/GPL License.

Welcome to Moodle for Mac OS X

- Start > Administration > Users > Authentication > Joomla!

Site Administration

- Notifications
- Users
 - Authentication
 - Manage authentication
 - Email-based self-registration
 - Joomla!
 - Manual accounts
 - Moodle Network authentication
 - No login
 - Accounts
 - Permissions
 - Courses
 - Grades
 - Location
 - Language
 - Modules
 - Security
 - Appearance
 - Front Page
 - Server
 - Networking
 - Reports
 - Miscellaneous

Search

Admin bookmarks

[bookmark this page](#)

Joomla!

This method uses Joomla! web services to know whether a user has a valid session in Joomla!. Version 0.3

Joomla! URL

Connection method

Jomsocial activities

Jomsocial groups

Enrol parents in courses

Parent role ID

Joomla server URL

Connection method to use for Web Services

Add Jomsocial activities

Create a Jomsocial group for each course

Auto enrol parents in children courses

Role ID of parent role

Lock user fields

You can lock user data fields. This is useful for sites where the user data is maintained by the administrators manually by editing user records or uploading using the 'Upload users' facility. If you are locking fields that are required by Moodle, make sure that you provide that data when creating user accounts or the accounts will be unusable.

Consider setting the lock mode to 'Unlocked if empty' to avoid this problem.

First name

Surname

Email address

City/town

Country

Language

Description

Web page

ID number

Institution

Department

Phone 1

Welcome to Moodle for Mac OS X

Start Administration Notifications

- Site Administration
- Notifications
 - Users
 - Courses
 - Grades
 - Location
 - Language
 - Modules
 - Security
 - Appearance
 - Front Page
 - Server
 - Networking
 - Reports
 - Miscellaneous
- Search

Admin bookmarks
bookmark this page

Please register your site to remove this button

Moodle Registration

Moodle 1.9.9+ (Build: 20100822)
Copyright © 1999 onwards, Martin Dougiamas
and many other contributors.
GNU Public License

Moodle Does for this page
You are logged in as - Admin - (Logout)

Home