

PHP Version 5.2.11



System	Darwin MacBookPro-2008.local 10.4.0 Darwin Kernel Version 10.4.0: Fri Apr 23 18:28:53 PDT 2010; root:xnu-1504.7.4~1/RELEASE_I386 i386
Build Date	Dec 12 2009 13:14:57
Configure Command	'./configure' '--with-mysql=/Applications/MAMP/Library' '--with-apxs2=/Applications/MAMP/Library/bin/apxs' '--with-gd' '--with-jpeg-dir=/Applications/MAMP/Library' '--with-png-dir=/Applications/MAMP/Library' '--with-zlib' '--with-freetype-dir=/Applications/MAMP/Library' '--prefix=/Applications/MAMP/bin/php5' '--exec-prefix=/Applications/MAMP/bin/php5' '--sysconfdir=/Applications/MAMP/conf/php5' '--with-soap' '--with-config-file-path=/Applications/MAMP/conf/php5' '--enable-track-vars' '--enable-bcmath' '--enable-ftp' '--enable-gd-native-ttf' '--with-bz2=/usr' '--with-ldap' '--with-mysqli=/Applications/MAMP/Library/bin/mysqli_config' '--with-sqlite' '--with-ttf' '--with-t1lib=/Applications/MAMP/Library' '--enable-mbstring=all' '--with-curl=/Applications/MAMP/Library' '--enable-dbx' '--enable-sockets' '--enable-bcmath' '--with-imap=shared,/Applications/MAMP/Library/lib/imap-2007e' '--enable-soap' '--with-kerberos' '--enable-calendar' '--with-pgsql=shared,/Applications/MAMP/Library/pg' '--enable-dbase' '--enable-exif' '--with-libxml-dir=/Applications/MAMP/Library' '--with-gettext=shared,/Applications/MAMP/Library' '--with-xsl=/Applications/MAMP/Library' '--with-pdo-mysql=shared,/Applications/MAMP/Library' '--with-pdo-pgsql=shared,/Applications/MAMP/Library/pg' '--with-mcrypt=shared,/Applications/MAMP/Library' '--with-openssl'
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/Applications/MAMP/conf/php5
Loaded Configuration File	/Applications/MAMP/conf/php5/php.ini
Scan this dir for additional .ini files	(none)
additional .ini files parsed	(none)
PHP API	20041225
PHP Extension	20060613
Zend Extension	220060519
Debug Build	no
Thread Safety	disabled
Zend Memory Manager	enabled
IPv6 Support	enabled
Registered PHP Streams	https, ftps, compress.zlib, compress.bzip2, php, file, data, http, ftp, zip
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
Registered Stream Filters	zlib.*, bzip2.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v2.2.0, Copyright (c) 1998-2009 Zend Technologies
 with Zend Extension Manager v1.2.2, Copyright (c) 2003-2007, by Zend Technologies
 with Zend Optimizer v3.3.9, Copyright (c) 1998-2009, by Zend Technologies



PHP Credits

Configuration

PHP Core

Directive	Local Value	Master Value
allow_call_time_pass_reference	On	On
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	Off	Off
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	/Applications/MAMP/logs/php_error.log	/Applications/MAMP/logs/php_error.log
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	6143	6143
expose_php	On	On
extension_dir	/Applications/MAMP/bin/php5/lib/php/extensions/no-debug-non-zts-20060613/	/Applications/MAMP/bin/php5/lib/php/extensions/no-debug-non-zts-20060613/
file_uploads	On	On
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000

highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	./Applications/MAMP/bin/php5/lib/php	./Applications/MAMP/bin/php5/lib/php
log_errors	On	On
log_errors_max_len	1024	1024
magic_quotes_gpc	On	On
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
max_execution_time	30	30
max_input_nesting_level	64	64
max_input_time	60	60
memory_limit	128M	128M
open_basedir	<i>no value</i>	<i>no value</i>
output_buffering	<i>no value</i>	<i>no value</i>
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	128M	128M
precision	12	12
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	On	On
register_globals	Off	Off
register_long_arrays	On	On
report_memleaks	On	On
report zend debug	On	On
safe_mode	Off	Off
safe_mode_exec_dir	<i>no value</i>	<i>no value</i>
safe_mode_gid	Off	Off
safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	128M	128M
upload_tmp_dir	/Applications/MAMP/tmp/php	/Applications/MAMP/tmp/php
user_dir	<i>no value</i>	<i>no value</i>
variables_order	EGPCS	EGPCS
xmlrpc_error_number	0	0

xmlrpc_errors	Off	Off
y2k_compliance	On	On
zend.ze1_compatibility_mode	Off	Off

apache2handler

Apache Version	Apache/2.0.63 (Unix) PHP/5.2.11 DAV/2
Apache API Version	20020903
Server Administrator	you@example.com
Hostname:Port	localhost:8888
User/Group	tania(501)/-1
Max Requests	Per Child: 0 - Keep Alive: on - Max Per Connection: 100
Timeouts	Connection: 300 - Keep-Alive: 15
Virtual Server	No
Server Root	/Applications/MAMP/Library
Loaded Modules	core prefork http_core mod_so mod_access mod_auth mod_auth_anon mod_auth_dbm mod_auth_digest mod_file_cache mod_echo mod_charset_lite mod_cache mod_disk_cache mod_mem_cache mod_example mod_case_filter mod_case_filter_in mod_ext_filter mod_include mod_deflate mod_log_config mod_env mod_mime_magic mod_cern_meta mod_expires mod_headers mod_usertrack mod_setenvif mod_proxy proxy_connect proxy_ftp proxy_http mod_bucketeer mod_mime mod_dav mod_status mod_autoindex mod_asis mod_info mod_cgi mod_cgid mod_dav_fs mod_vhost_alias mod_negotiation mod_dir mod_imap mod_actions mod_speling mod_userdir mod_alias mod_rewrite mod_php5

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
HTTP_HOST	localhost:8888
HTTP_USER_AGENT	Mozilla/5.0 (Macintosh; U; Intel Mac OS X 10_6_4; en-us) AppleWebKit/533.18.1 (KHTML, like Gecko) Version/5.0.2 Safari/533.18.5
HTTP_ACCEPT	application/xml,application/xhtml+xml,text/html;q=0.9,text/plain;q=0.8,image/png,*/*;q=0.5
HTTP_ACCEPT_LANGUAGE	en-us
HTTP_ACCEPT_ENCODING	gzip, deflate
HTTP_COOKIE	__utma=111872281.2054600036.1284689134.1285135738.1285137987.3; __utmz=111872281.1284689134.1.1.utmcsr=(direct)utmccn=(direct)utmcmd=(none); SQLiteManager_currentLangue=2; MOODLEID_m19=%25E2%25C8%2513E%25BD; ja_purity_tpl=ja_purity
HTTP_CONNECTION	keep-alive
PATH	/usr/bin:/bin:/usr/sbin:/sbin
SERVER_SIGNATURE	<address>Apache/2.0.63 (Unix) PHP/5.2.11 DAV/2 Server at localhost Port 8888</address>
SERVER_SOFTWARE	Apache/2.0.63 (Unix) PHP/5.2.11 DAV/2
SERVER_NAME	localhost
SERVER_ADDR	:::1

SERVER_PORT	8888
REMOTE_ADDR	::1
DOCUMENT_ROOT	/Applications/MAMP/htdocs
SERVER_ADMIN	you@example.com
SCRIPT_FILENAME	/Applications/MAMP/bin/mamp/phpinfo.php
REMOTE_PORT	49883
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	<i>no value</i>
REQUEST_URI	/MAMP/phpinfo.php
SCRIPT_NAME	/MAMP/phpinfo.php

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /MAMP/phpinfo.php HTTP/1.1
Host	localhost:8888
User-Agent	Mozilla/5.0 (Macintosh; U; Intel Mac OS X 10_6_4; en-us) AppleWebKit/533.18.1 (KHTML, like Gecko) Version/5.0.2 Safari/533.18.5
Accept	application/xml,application/xhtml+xml,text/html;q=0.9,text/plain;q=0.8,image/png,*/*;q=0.5
Accept-Language	en-us
Accept-Encoding	gzip, deflate
Cookie	__utma=111872281.2054600036.1284689134.1285135738.1285137987.3; __utmz=111872281.1284689134.1.1.utmcsr=(direct) utmccn=(direct) utmcmd=(none); SQLiteManager_currentLangue=2; MOODLEID_m19=%25E2%25C8%2513E%25BD; ja_purity_tpl=ja_purity
Connection	keep-alive
HTTP Response Headers	
X-Powered-By	PHP/5.2.11
Keep-Alive	timeout=15, max=100
Connection	Keep-Alive
Transfer-Encoding	chunked
Content-Type	text/html

bcmath

BCMath support	enabled
-----------------------	---------

bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bz2://

Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.5, 10-Dec-2007

calendar

Calendar support	enabled
-------------------------	---------

ctype

ctype functions	enabled
------------------------	---------

curl

cURL support	enabled
cURL Information	libcurl/7.19.5 OpenSSL/0.9.7l zlib/1.2.3 libidn/1.15

date

date/time support	enabled
"Olson" Timezone Database Version	2009.13
Timezone Database	internal
Default timezone	Australia/Melbourne

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	<i>no value</i>	<i>no value</i>

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.7.3
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

exif

EXIF Support	enabled
EXIF Version	1.4 \$Id: exif.c 287371 2009-08-16 14:31:27Z iliaa \$

Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

filter

Input Validation and Filtering	enabled
Revision	\$Revision: 288083 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

ftp

FTP support	enabled
--------------------	---------

gd

GD Support	enabled
GD Version	bundled (2.0.34 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.3.9
T1Lib Support	enabled
GIF Read Support	enabled
GIF Create Support	enabled
JPG Support	enabled
PNG Support	enabled
WBMP Support	enabled
XBM Support	enabled

gettext

GetText Support	enabled
------------------------	---------

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru gost adler32 crc32 crc32b haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
----------------------	---------

iconv implementation	libiconv
iconv library version	1.13

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

imap

IMAP c-Client Version	2007e
Kerberos Support	enabled

json

json support	enabled
json version	1.2.1

ldap

LDAP Support	enabled
RCS Version	\$Id: ldap.c 287936 2009-09-01 08:42:10Z patrickallaert \$
Total Links	0/unlimited
API Version	3001
Vendor Name	OpenLDAP
Vendor Version	20219

libxml

libXML support	active
libXML Version	2.7.3
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) version	4.4.4
Multibyte regex (oniguruma) backtrack check	On

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>

mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mcrypt

mcrypt support	enabled
Version	2.5.8
Api No	20021217
Supported ciphers	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	5.1.37
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/Applications/MAMP/tmp/mysql/mysql.sock
MYSQL_INCLUDE	-I/Applications/MAMP/Library/include/mysql
MYSQL_LIBS	-L/Applications/MAMP/Library/lib/mysql -lmysqlclient

Directive	Local Value	Master Value
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	/Applications/MAMP/tmp/mysql/mysql.sock	/Applications/MAMP/tmp/mysql/mysql.sock
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysqli

Mysqli Support	enabled
Client API library version	5.1.37
Client API header version	5.1.37
MYSQLI_SOCKET	/Applications/MAMP/tmp/mysql/mysql.sock

Directive	Local Value	Master Value
mysqli.default_host	no value	no value
mysqli.default_port	3306	3306
mysqli.default_pw	no value	no value
mysqli.default_socket	no value	no value
mysqli.default_user	no value	no value
mysqli.max_links	Unlimited	Unlimited
mysqli.reconnect	Off	Off

openssl

OpenSSL support	enabled
OpenSSL Version	OpenSSL 0.9.7i 14 Oct 2005

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	7.9 2009-04-11

Directive	Local Value	Master Value
pcre.backtrack_limit	100000	100000
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	sqlite, sqlite2, pgsql, mysql

pdo_mysql

PDO Driver for MySQL, client library version	5.1.37
---	---------------

pdo_pgsql

PDO Driver for PostgreSQL	enabled
PostgreSQL(libpq) Version	8.4.0
Module version	1.0.2
Revision	\$Id: pdo_pgsql.c 272374 2008-12-31 11:17:49Z sebastian \$

pdo_sqlite

PDO Driver for SQLite 3.x	enabled
PECL Module version	(bundled) 1.0.1 \$Id: pdo_sqlite.c 272374 2008-12-31 11:17:49Z sebastian \$
SQLite Library	3.3.7

pgsql

PostgreSQL Support	enabled
PostgreSQL(libpq) Version	8.4.0
Multibyte character support	enabled
SSL support	enabled
Active Persistent Links	0
Active Links	0

Directive	Local Value	Master Value
pgsql.allow_persistent	On	On
pgsql.auto_reset_persistent	Off	Off
pgsql.ignore_notice	Off	Off
pgsql.log_notice	Off	Off
pgsql.max_links	Unlimited	Unlimited
pgsql.max_persistent	Unlimited	Unlimited

posix

Revision	\$Revision: 286880 \$
-----------------	-----------------------

Reflection

Reflection	enabled
Version	\$Id: php_reflection.c 287991 2009-09-03 14:02:51Z sebastian \$

session

Session Support	enabled
Registered save handlers	files user sqlite
Registered serializer handlers	php php_binary

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	On	On
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off

session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	100	100
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	4	4
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	/Applications/MAMP/tmp/php	/Applications/MAMP/tmp/php
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	Off	Off
session.use_trans_sid	0	0

SimpleXML

Simplexml support	enabled
Revision	\$Revision: 272374 \$
Schema support	enabled

soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

sockets

Sockets Support	enabled
-----------------	---------

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException,

CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilterIterator, Infiltrator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RegexIterator, RuntimeException, SimpleXMLElement, SplFileInfo, SplFileObject, SplObjectStorage, SplTempFileObject, UnderflowException, UnexpectedValueException

SQLite

SQLite support	enabled
PECL Module version	2.0-dev \$Id: sqlite.c 282740 2009-06-25 00:07:20Z scottmac \$
SQLite Library	2.8.17
SQLite Encoding	iso8859

Directive	Local Value	Master Value
sqlite.assoc_case	0	0

standard

Regex Library	Bundled library enabled
Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=,fieldset=	a=href,area=href,frame=src,input=src,form=,fieldset=
user_agent	<i>no value</i>	<i>no value</i>

tokenizer

Tokenizer Support	enabled
--------------------------	---------

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.7.3

xmlreader

XMLReader	enabled
------------------	---------

xmlrpc

core library version	xmlrpc-epi v. 0.51
php extension version	0.51
author	Dan Libby
homepage	http://xmlrpc-epi.sourceforge.net
open sourced by	Epinions.com

xmlwriter

XMLWriter	enabled
------------------	---------

xsl

XSL	enabled
libxslt Version	1.1.24
libxslt compiled against libxml Version	2.7.3
EXSLT	enabled
libexslt Version	1.1.24

yaz

YAZ Support	enabled
PHP/YAZ Version	1.0.14
YAZ Version	3.0.47
Compiled with YAZ version	3.0.47

Zend Optimizer

Optimization Pass 1	enabled
Optimization Pass 2	enabled
Optimization Pass 3	enabled
Optimization Pass 4	enabled
Optimization Pass 9	disabled
Zend Loader	enabled
License Path	<i>no value</i>
Obfuscation level	3

zip

Zip	enabled
------------	---------

Extension Version	\$Id: php_zip.c 287723 2009-08-26 02:16:41Z guenter \$
Zip version	1.8.11
Libzip version	0.9.0

zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.3
Linked Version	1.2.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name
dbase

Environment

Variable	Value
SHELL	/bin/bash
TMPDIR	/var/folders/zX/zXBi5rSgFVY3dGU9g2fhLU+++TI/-Tmp-/
Apple_PubSub_Socket_Render	/tmp/launch-f9PzYG/Render
USER	tania
COMMAND_MODE	legacy
SSH_AUTH_SOCK	/tmp/launch-VCQa4v/Listeners
__CF_USER_TEXT_ENCODING	0x1F5:0:0
PATH	/usr/bin:/bin:/usr/sbin:/sbin
PWD	/
HOME	/Users/tania
SHLVL	2
DYLD_LIBRARY_PATH	/Applications/MAMP/Library/lib:
LOGNAME	tania
DISPLAY	/tmp/launch-5N3DLI/org.x:0
_	/Applications/MAMP/Library/bin/httpd

PHP Variables

Variable	Value
_REQUEST["__utma"]	111872281.2054600036.1284689134.1285135738.1285137987.3
_REQUEST["__utmz"]	111872281.1284689134.1.1.utmcsr=(direct)utmccn=(direct)utmcmd=(none)

_REQUEST["SQLiteManager_currentLangue"]	2
_REQUEST["MOODLEID_m19"]	%E2%C8%13E%BD
_REQUEST["ja_purity_tpl"]	ja_purity
_COOKIE["__utma"]	111872281.2054600036.1284689134.1285135738.1285137987.3
_COOKIE["__utmz"]	111872281.1284689134.1.1.utmcsr=(direct)utmccn=(direct)utmcmd=(none)
_COOKIE["SQLiteManager_currentLangue"]	2
_COOKIE["MOODLEID_m19"]	%E2%C8%13E%BD
_COOKIE["ja_purity_tpl"]	ja_purity
_SERVER["HTTP_HOST"]	localhost:8888
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Macintosh; U; Intel Mac OS X 10_6_4; en-us) AppleWebKit/533.18.1 (KHTML, like Gecko) Version/5.0.2 Safari/533.18.5
_SERVER["HTTP_ACCEPT"]	application/xml,application/xhtml+xml,text/html;q=0.9,text/plain;q=0.8,image/png,*/*;q=0.5
_SERVER["HTTP_ACCEPT_LANGUAGE"]	en-us
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate
_SERVER["HTTP_COOKIE"]	__utma=111872281.2054600036.1284689134.1285135738.1285137987.3; __utmz=111872281.1284689134.1.1.utmcsr=(direct)utmccn=(direct)utmcmd=(none); SQLiteManager_currentLangue=2; MOODLEID_m19=%E2%25C8%2513E%25BD; ja_purity_tpl=ja_purity
_SERVER["HTTP_CONNECTION"]	keep-alive
_SERVER["PATH"]	/usr/bin:/bin:/usr/sbin:/sbin
_SERVER["SERVER_SIGNATURE"]	<address>Apache/2.0.63 (Unix) PHP/5.2.11 DAV/2 Server at localhost Port 8888</address>
_SERVER["SERVER_SOFTWARE"]	Apache/2.0.63 (Unix) PHP/5.2.11 DAV/2
_SERVER["SERVER_NAME"]	localhost
_SERVER["SERVER_ADDR"]	::1
_SERVER["SERVER_PORT"]	8888
_SERVER["REMOTE_ADDR"]	::1
_SERVER["DOCUMENT_ROOT"]	/Applications/MAMP/htdocs
_SERVER["SERVER_ADMIN"]	you@example.com
_SERVER["SCRIPT_FILENAME"]	/Applications/MAMP/bin/mamp/phpinfo.php
_SERVER["REMOTE_PORT"]	49883
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/MAMP/phpinfo.php
_SERVER["SCRIPT_NAME"]	/MAMP/phpinfo.php
_SERVER["PHP_SELF"]	/MAMP/phpinfo.php
_SERVER["REQUEST_TIME"]	1286281064
_SERVER["argv"]	Array ()
_SERVER["argc"]	0
_ENV["SHELL"]	/bin/bash
_ENV["TMPDIR"]	/var/folders/zX/zXBi5rSgFVy3dGU9g2fhLU+++TI/-Tmp-/
_ENV["Apple_PubSub_Socket_Render"]	/tmp/launch-f9PzYG/Render
_ENV["USER"]	tania
_ENV["COMMAND_MODE"]	legacy
_ENV["SSH_AUTH_SOCK"]	/tmp/launch-VCQa4v/Listeners
_ENV["__CF_USER_TEXT_ENCODING"]	0x1F5:0:0
_ENV["PATH"]	/usr/bin:/bin:/usr/sbin:/sbin

_ENV["PWD"]	/
_ENV["HOME"]	/Users/tania
_ENV["SHLVL"]	2
_ENV["DYLD_LIBRARY_PATH"]	/Applications/MAMP/Library/lib:
_ENV["LOGNAME"]	tania
_ENV["DISPLAY"]	/tmp/launch-5N3DL/org.x:0
ENV[""]	/Applications/MAMP/Library/bin/httpd

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.